Vacuum Cleaner 😵



TECHNICAL DATA		
Blow through motor	2x1100	W
Voltage	230	V
Power outlet, max.	-	W
Data of the installed motor:		
- Vacuum, max. (per motor)	2550	mmWC
	25	kPa
- Airflow, max. (per motor)	54	l/sec.
	194	m³/h
Noice level (ISO 11201)	<70	dB(A)
* Suction power, max. ((P2) based on	580	W
EC 60312)	10 -	
Collection capacity (bag/container)	-/35	
Pre-filter	1.0	m²
HEPA-filter	1.1	m²
Height	1070	mm
Width without nozzle	670	mm
Length/depth without nozzle	770	mm
Weight without accessories	39	kg
Container coupling	ø 90	mm
∖ Length of cord	15	m /
* Data of the vacuum cleaner with 0.5 m ø 50	mm hose	

Model 2600

82.16.2079

The RONDA[®] 2600 Green Tech is a highly effective dry dust vacuum cleaner for large areas such as warehousing facilities, production facilities, sports centres etc.

The RONDA® 2600 is equipped with a 750 mm high-capacity front floor nozzle, which can be easily lifted from the floor by pulling the handle near the steering grip. This is very practical when passing over door steps or similar obstacles, or if you need to vacuum larger pieces of dirt which would otherwise be pushed in front of the floor nozzle. Two powerful 1100 W suction motors ensure high suction capacity, and the dissipation of static electricity is the guarantee of a good working environment.

The machine is equipped with a Teflon-coated multi-tube filter with a surface of 1.0 m^2 . The filter is mounted on springs and has a self-cleaning effect during operation.

The RONDA® 2600 is equipped with a HEPA-filter (BIA Dust Class H). The filter holds back 99.995% of all particles larger than 0.3 μm .

The external filter cleaning by means of the pressure compensation valve will ensure efficient cleaning of the multi-tube filter without having to dismantle the vacuum cleaner.

Quick and easy emptying from the bottom of the machine.


RONDA[®] 2600 is also available without the front floor nozzle, if you just want an efficient vacuum cleaner that can be emptied from the bottom.

RONDA® 2600 without front floor nozzle RN75/2 82.16.2076

- High collection capacity
- Teflon-coated multi-tube filter
- Continuous filter cleaning during operation
- Robust trolley frame
- Smooth-running drive wheels
- Low noise level
- Static electricity dissipation
- High-capacity floor attachment
- External filter cleaning with pressure compensation valve
- HEPA-filter (BIA dust class H)
- Long cord large operation radius
- Emptying from the bottom

V.BRØNDUM





Model 2600

STANDARD ACCESSORIES:

40 mm professional's set (antistatic)	80.33.4025
1 Plastic hose, antistatic, ø 38 mm, 4 m	84.54.3823
2 Complete tube with bend	80.52.2160
3 Crevice nozzle	80.34.4000
4 Round brush	80.34.4001
5 All-purpose floor nozzle B-370	84.38.3620
6 Front attached floor nozzle RN75/2	80.31.0008
7 Floor nozzle complete w. handle and fitting	80.31.0007

STANDARD FILTERS:

1	Multi-tube filter	84.67.1114
2	HEPA-filter	84.67.5006

V.BRØNDUM[∉]

Sadolinsvej 14-16 DK-8600 Silkeborg Tel. +45 86 82 43 66 Fax +45 86 80 33 63 v@broendum.com www.broendum.com